



Presented By Dr. Farida Al Hosani Communicable Diseases Section Public Health & Policies









• Chemical Hazards





Why is food safety an essential public health issue?



^ODisease





Food Safety Public Health Priority

- WHO: 2.2 million death yearly due to food borne diseases, water borne diseases
- WHO: 1.9 million of them are children







Food borne Diseases

- Botulism
- Staphylococcal Food intoxication
- Escherichia colli
- Sallmonellosis
- Shigellosis
- Brucellosis
- Typhoid Fever
- Cholera





Botulism

- Infectious Agent: Clostridium Botulinum
- Incubation Period: 12-36 hours
- Symptoms
- Diagnosis & Treatment
- Prevention







Escherichia colli

- Infectious Agent: Escherichia
 Colli
- Incubation Period: hours
- Symptoms
- Diagnosis & Treatment
- Prevention







Sallmonellosis

- Infectious Agent: Salmonella
- Incubation Period: 6-72 hours
- Symptoms
- Diagnosis & Treatment
- Prevention








Brucellosis

- Infectious Agent: Brucella abortus
- Incubation Period: 5-60 days
- Symptoms
- Diagnosis & Treatment
- Prevention







Outbreak Investigation & Management

- Case Investigation: History, Lab investigation
- Contact Tracing
- Case Reporting to ADFCA







Thank You

